

DATE: Monday, November 24, 2003 Printable Copy Create Case

Set Name Query side by side		Hit Count	Set Name result set
DB = USPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR = YES; OP = OR			
<u>L15</u>	L14 and L2	6	<u>L15</u>
<u>L14</u>	L13 and (timestamp\$ or (time adj stamp\$))	21	<u>L14</u>
<u>L13</u>	L12 and (metadata or (meta adj data))	52	<u>L13</u>
<u>L12</u>	L10 and version\$	227	<u>L12</u>
<u>L11</u>	L10 and L7	1	<u>L11</u>
<u>L10</u>	(extern\$ near stor\$3) near2 ((database\$1 or (data adj base\$1) or db\$1) or table\$1)	834	<u>L10</u>
<u>L9</u>	extern\$ near stor\$3	28088	<u>L9</u>
<u>L8</u>	L6 and L7	4	<u>L8</u>
<u>L7</u>	consistent\$ near object\$1	1058	<u>L7</u>
<u>L6</u>	embed\$ near version\$	213	<u>L6</u>
<u>L5</u>	embed\$ same version\$	3844	<u>L5</u>
<u>L4</u>	(consist\$ near object) same (metadata or (meta adj data))	16	<u>L4</u>
<u>L3</u>	(consistent\$ near object) same metadata	2	<u>L3</u>
<u>L2</u>	consistent\$	307282	<u>L2</u>
<u>L1</u>	"loose transaction model"	2	<u>L1</u>

END OF SEARCH HISTORY